Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: ssspta1653sxs

PASSWORD:

THIS LOGINID IS CURRENTLY IN USE.

DO YOU WISH TO RESUME THE PREVIOUS SESSION? Y/(N)/?:

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1653sxs

PASSWORD:

THIS LOGINID IS CURRENTLY IN USE.

DO YOU WISH TO RESUME THE PREVIOUS SESSION? Y/(N)/?:

n

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1653sxs

PASSWORD:

THIS LOGINID IS CURRENTLY IN USE.

DO YOU WISH TO RESUME THE PREVIOUS SESSION? Y/(N)/?:N

SYSTEM LOGOFF AT 15:55:23 ON 24 JUN 2002 US EASTERN TIME

Connection closed by remote host

A new logon attempt will be made when this window closes. If you chose to RESUME PREVIOUS SESSION, then continue with the logon process as normal. If not, choose Cancel or  $\langle ESC \rangle$  to interrupt the logon process.

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1653sxs

PASSWORD:

THIS LOGINID IS CURRENTLY IN USE.

DO YOU WISH TO RESUME THE PREVIOUS SESSION? Y/(N)/?:N

SYSTEM LOGOFF AT 15:55:56 ON 24 JUN 2002 US EASTERN TIME

Connection closed by remote host

A new logon attempt will be made when this window closes. If you chose to RESUME PREVIOUS SESSION, then continue with the logon process as normal. If not, choose Cancel or <ESC> to interrupt the logon process.

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1653sxs

## PASSWORD:

THIS LOGINID IS CURRENTLY IN USE.

DO YOU WISH TO RESUME THE PREVIOUS SESSION? Y/(N)/?:Y

THE PREVIOUS SESSION IS BEING DISCONNECTED.
PLEASE LOG IN AGAIN TO BE RECONNECTED.
SYSTEM LOGOFF AT 15:56:18 ON 24 JUN 2002 US EASTERN TIME

Connection closed by remote host

A new logon attempt will be made when this window closes. If you chose to RESUME PREVIOUS SESSION, then continue with the logon process as normal. If not, choose Cancel or <ESC> to interrupt the logon process.

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1653sxs

## PASSWORD:

\* \* \* \* \* \* RECONNECTED TO STN INTERNATIONAL \* \* \* \* \* SESSION RESUMED IN FILE 'HOME' AT 15:56:44 ON 24 JUN 2002 FILE 'HOME' ENTERED AT 15:56:44 ON 24 JUN 2002 SINCE FILE TOTAL COST IN U.S. DOLLARS ENTRY SESSION FULL ESTIMATED COST 7.14 7.14 => FIL BIOSIS MEDLINE CAPLUS EMBASE COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 7.14 7.14

FILE 'BIOSIS' ENTERED AT 15:56:53 ON 24 JUN 2002

COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC. (R) FILE 'MEDLINE' ENTERED AT 15:56:53 ON 24 JUN 2002 FILE 'CAPLUS' ENTERED AT 15:56:53 ON 24 JUN 2002 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS) FILE 'EMBASE' ENTERED AT 15:56:53 ON 24 JUN 2002 COPYRIGHT (C) 2002 Elsevier Science B.V. All rights reserved. => s adipocyte (w) complement (w) related (w) protein 61 ADIPOCYTE (W) COMPLEMENT (W) RELATED (W) PROTEIN L1=> s zacrp L2 0 ZACRP => s z (w) acrp0 Z (W) ACRP => s collagen (w) like (w) domain 454 COLLAGEN (W) LIKE (W) DOMAIN => 11 and 14L1 IS NOT A RECOGNIZED COMMAND The previous command name entered was not recognized by the system. For a list of commands available to you in the current file, enter "HELP COMMANDS" at an arrow prompt (=>). => s 11 and 14 8 L1 AND L4 L5 => dup rem 15 PROCESSING COMPLETED FOR L5 8 DUP REM L5 (O DUPLICATES REMOVED) => d 16 1-8 au ti so py ab ANSWER 1 OF 8 CAPLUS COPYRIGHT 2002 ACS ΙN Fox, Brian ΤI Adipocyte complement related protein zacrp12 SO PCT Int. Appl., 101 pp. CODEN: PIXXD2 PΥ AB The present invention relates to polynucleotide and polypeptide molecules for zacrp12, a novel member of the family of proteins bearing a collagen-like domain and a Clq domain. Novel zacrp12 polypeptides, polynucleotides encoding the polypeptides, and related compositions and methods are disclosed. Also disclosed are antibodies to the zacrp12 protein or fragments thereof. 1.6 ANSWER 2 OF 8 CAPLUS COPYRIGHT 2002 ACS IN Piddington, Christopher S.; Sheppard, Paul O. ΤI Protein and cDNA sequences of human adipocyte complement -related protein homolog zacrp7 and uses thereof SO PCT Int. Appl., 125 pp. CODEN: PIXXD2 PΥ 2000 2002 AR The present invention relates to protein and cDNA sequences of human adipocyte complement-related protein homolog zacrp7, a novel member of the family of proteins bearing a collagen-like domain and a Clq domain. The

novel zacrp7 protein is initially identified by querying an EST database for homologs of the adipocyte complement-related protein, characterized by a signal sequence, a collagen-like domain and a Clq domain. Zacrp7 is involved in trimerization or oligomerization and may be used in the study thereof. The present invention also includes antibodies to the zacrp7 proteins.

- L6 ANSWER 3 OF 8 CAPLUS COPYRIGHT 2002 ACS
- IN Piddington, Christopher S.; Sheppard, Paul O.
- TI Protein and cDNA sequences of human adipocyte complement -related protein homolog zacrp6 and uses thereof
- SO PCT Int. Appl., 119 pp.

CODEN: PIXXD2

PY 2000 2001

AB The present invention relates to protein and cDNA sequences of human adipocyte complement-related protein homolog zacrp6, a novel member of the family of proteins bearing a collagen-like domain and a Clq domain. The novel zacrp6 protein is initially identified by querying an EST database for homologs of the adipocyte complement-related protein zsig37. Zacrp6 is involved in trimerization or oligomerization and may be used in the study thereof. The present invention also includes antibodies to the zacrp6 proteins.

- L6 ANSWER 4 OF 8 CAPLUS COPYRIGHT 2002 ACS
- IN Piddington, Christopher S.; Sheppard, Paul O.
- TI Protein and cDNA sequences of human adipocyte complement -related protein homolog zacrp5 and uses thereof
- SO PCT Int. Appl., 121 pp.

CODEN: PIXXD2

PY 2000 2002

AB The present invention relates to protein and cDNA sequences of human adipocyte complement-related protein homolog zacrp5, a novel member of the family of proteins bearing a collagen-like domain and a Clq domain. Zacrp5 is involved in trimerization or oligomerization and may be used in the study thereof. The present invention also includes antibodies to the zacrp5 proteins.

- L6 ANSWER 5 OF 8 CAPLUS COPYRIGHT 2002 ACS
- IN Piddington, Christopher S.; Bishop, Paul D.
- TI Protein and cDNA sequences of human adipocyte complement -related protein homolog zacrp3 and uses thereof
- SO PCT Int. Appl., 123 pp.

CODEN: PIXXD2

PY 2000 2002

2002

AB The present invention relates to protein and cDNA sequences of human adipocyte complement-related protein homolog zacrp3, a novel member of the family of proteins bearing a collagen-like domain and a Clq domain. Zacrp3 is involved in dimerization or oligomerization and may be used in the study thereof. The present invention also includes antibodies to the zacrp3 proteins.

- L6 ANSWER 6 OF 8 CAPLUS COPYRIGHT 2002 ACS
- IN Piddington, Christopher S.; Bishop, Paul D.
- TI Protein and cDNA sequences of human adipocyte complement -related protein homolog zacrp2 and uses thereof
- SO PCT Int. Appl., 125 pp.

CODEN: PIXXD2

```
PY
     2000
     2002
     2001
AB
     The present invention relates to protein and cDNA sequences of human
     adipocyte complement-related protein
     homolog zacrp2, a novel member of the family of proteins bearing a
     collagen-like domain and a Clq domain. Zacrp2
     is involved in dimerization or oligomerization and may be used in the
     study thereof. The present invention also includes antibodies to the
     zacrp2 proteins.
L6
     ANSWER 7 OF 8 CAPLUS COPYRIGHT 2002 ACS
     Sheppard, Paul O.; Lasser, Gerald W.; Bishop, Paul D.
ΙN
     Inhibitors for use against hemostasis and immune function
ΤI
SO
     PCT Int. Appl., 102 pp.
     CODEN: PIXXD2
PY
     2000
     2000
     2001
     2002
     2001
AB
     The present invention relates to polynucleotide and polypeptide mols. for
     use as inhibitors in hemostasis and immune function. Such inhibitors are
     members of the family of proteins bearing a collagen-
     like domain and a globular domain. The inhibitors are
     useful for promoting blood flow in the vasculature by reducing
     thrombogenic and complement activity. The inhibitors are also useful to
     "pacify" collagenous surfaces and modulating wound healing.
L6
     ANSWER 8 OF 8 CAPLUS COPYRIGHT 2002 ACS
ΙN
     Sheppard, Paul O.; Humes, Jacqueline M.
TΙ
     Cloning and cDNA sequence of human adipocyte-specific protein homolog
     zsig39
     PCT Int. Appl., 132 pp.
SO
     CODEN: PIXXD2
PΥ
     1999
     1999
     1999
     2002
     2000
     2001
     2001
     2000
AB
    The present invention relates to polynucleotide and polypeptide mols. for
     zsig39, a novel member of the family of proteins bearing a
     collagen-like domain and a globular domain.
     The zsig39 polypeptide was initially identified by querying an EST
    database for secretory signal sequences. Zsig39 is a homolog with
    adipocyte complement-related protein
    Acrp30 and adipocyte secreted protein apM1. The gene for zsig39 was
     located on human chromosome 11q23.3. Anal. of the tissue distribution of
    the mRNA indicated a 1.2-kb transcript with highest signal intensity for
     small intestine and heart. Mice receiving zsig39 have decreased levels of
     serum free fatty acids and an increase in bone fat, suggesting that zsig39
    has an effect on the uptake and metab. of free fatty acids.
```

polypeptides, and polynucleotides encoding them, are involved in dimerization or oligomerization and may be used in the study thereof. present invention also includes antibodies to the zsig39 polypeptides. Mammalian and yeast vectors are described for transfection, large scale

expression, and purifn. of zsig39.

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	40.02	47.16
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-4.96	-4.96

STN INTERNATIONAL LOGOFF AT 16:01:38 ON 24 JUN 2002